



Zimmerstr. 1 • 04109 Leipzig • +49 341 2222 98 0 www.integromed.de

ABOUT INTEGROMED

Established with experiences over 30 years, headquarters in Leipzig / Germany

From the heart of Germany, we serve hospitals around the world, creating outstanding environments for patients and hospital staff alike.













striving to provide our customers with a real added value for THEIR HOSPITAL







Supporting hospital staff with modern, ergonomic and timesaving solutions





We Offer Modular Structure in variable Sizes







Main Components:



1. Ceiling Modules free-standing _ -

2. Wall Modules

3. Filter fan unit (FFU).

4. LED light strips.


5. Control Panel. --





Main Components - Ceiling Modules free-standing

- Aluminum profile construction from fully enclosed cleanroom.
- Support surface for ceiling filling, laminar flow units and Lighting.
- Flush mounted recessed composite panels, 6 mm, with extremely smooth hard coating.
- Free-standing construction.







Main Components – Wall Modules

■ Frame Construction: Supports made of aluminum profile, 50 x 50 mm or 100x50 mm . closed on all sides.





Main Components – Wall Modules

Support feet:

Support feet made of stainless steel, D = 50 mm, with attenuation pad.





Main Components – Wall Modules

PVC film curtain

Aluminum angle panel with rail guide soft PVC curtain, transparent 0.5 mm thickness, with welded lead cord at the bottom and above roller system.

• PVC strip curtain antistatic

Aluminum angle panel with suspension rail, soft transparent PVC strips 2 mm thick ness, antistatic equipment, with cut edge bottom and above stainless steel suspension eyes.








Main Components – Filter Fan Unit (FFU)

- Flush-mounted integrated fan with HEPA filter.
- The fan supplied purified negative air to isolation room, by removing harmful viruses and bacteria using HEPA filter.
- High Efficiency Filtration: 99.9995%





Main Components – LED light strips

- LEDs integrated in aluminum profiles.
- Flush mounted, silicone-free, GMP compliant.
- Flexible light lengths.
- Cold white light, 800 Lux.
- High energy efficiency.
- Long service life > 50,000 h.
- Absolutely UV-free.
- Dimmable.





Main Components - Control Panel


Touch control panel made of glass to control and show the below functions:

- Fan module on/ off Light on/ off
- Light dimming
- Maintenance information
- Fault indicator





Shop drawing – Example for 3x4x2.5 Tent





Thank You.!

Innovative Ideas

For Complex

Healthcare Facilities.

Zimmerstr. 1 • 04109 Leipzig • +49 341 2222 98 0 www.integromed.de